



71.50 MM. FRAME 90° CUT




1

2




TYPICAL ELEVATION




3

4

5





95.00 MM. FRAME 90° CUT




TYPICAL ELEVATION




INTERMEDIATE IF NEED








101.60 MM. FRAME 90° CUT



TYPICAL ELEVATION







5071
0.894 kg/m




5072
0.711 kg/m




5074
0.747 kg/m




11593
0.418 kg/m




11594
0.382 kg/m




11595
0.562 kg/m




12510
0.273 kg/m




12509
0.305 kg/m




12511
0.374 kg/m




5081
0.737 kg/m




5076
0.688 kg/m




5083
0.454 kg/m




11535
0.503 kg/m




5082
0.546 kg/m




5077
0.667 kg/m



11496
0.167 kg/m



5078
0.220 kg/m




5073
0.162 kg/m




9085
0.304 kg/m




10255
0.268 kg/m




10575
0.193 kg/m




13138
0.783 kg/m




13140
0.843 kg/m




13139
0.802 kg/m




13122
0.862 kg/m




13123
1.042 kg/m




13124
0.865 kg/m




12445
0.927 kg/m




12446
1.110 kg/m




12447
0.928 kg/m




12442
1.125 kg/m



12443
1.314 kg/m




12444
1.113 kg/m



10494
0.229 kg/m




10490
0.135 kg/m




13112
0.665 kg/m




13270
1.183 kg/m




13249
1.234 kg/m




13251
1.303 kg/m




13253
1.330 kg/m




13254
0.432 kg/m




13260
1.293 kg/m




13264
1.221 kg/m




13262
1.326 kg/m




13266
0.758 kg/m




13268
1.094 kg/m




13258
0.789 kg/m




13256
1.617 kg/m




13248
1.112 kg/m




13250
1.126 kg/m




13252
1.209 kg/m




13269
1.084 kg/m




13259
1.181 kg/m




13263
1.107 kg/m




13261
1.215 kg/m




13265
0.697 kg/m




13267
0.990 kg/m



13257
0.716 kg/m




13255
1.467 kg/m




13275
1.398 kg/m




13276
1.405 kg/m



13277
1.426 kg/m



13278
1.426 kg/m



ACTUAL SCALE 1:1

Sections DIE NO.	Thickness	Area	Weight
	mm.	mm. ²	kg./m.
5071	1.00	241.74	0.655
	1.10	259.74	0.703
	1.20	277.82	0.752
	1.30	294.49	0.798
	1.40	312.20	0.846
	1.50	329.85	0.893
	1.80	380.81	1.032
	2.00	414.76	1.124



ACTUAL SCALE 1:1

Sections DIE NO.	Thickness	Area	Weight
	mm.	mm ²	kg./m.
5072	1.00	188.48	0.510
	1.10	203.47	0.551
	1.20	218.34	0.591
	1.30	233.09	0.631
	1.40	247.72	0.671
	1.50	262.23	0.710
	1.80	305.90	0.829
	2.00	335.79	0.910